

COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY

1955 Workman Mill Road, Whittier, CA 90601-1400 Mailing Address: P.O. Box 4998, Whittier, CA 90607-4998 Telephone: (562) 699-7411, FAX: (562) 699-5422 www.lacsd.org

GRACE ROBINSON HYDE Chief Engineer and General Manager

April 28, 2014 File No. 31-320.10

Mr. Chris Marks Terra Renewal 12812 Valley View St., #9 Garden Grove, CA 92845

Dear Mr. Marks:

Transmittal of LACSD JWPCP Biosolids Report

Attached please find the LACSD JWPCP Biosolids Report for March 2014. The Report includes the following data for your files:

Biosolids

- total and soluble metals
- digester performance
- detected priority pollutants
- miscellaneous constituents

I certify, under penalty of law, that the Class B pathogen reduction requirements in 503.32(b)(3) and the vector attraction reduction requirements in 503.33(b)(1) have been met. These determinations have been made under my direction and supervision in accordance with the system designed to ensure that qualified personnel properly gather and evaluate the information used to determine that the pathogen requirements and vector attraction reduction requirements have been met. I am aware that there are significant penalties for false certification including the possibility of fine and imprisonment.

I certify, under penalty of law, that the biosolids produced at JWPCP are non-hazardous in accordance with Title 22, California Code of Regulations (CCR), Division 4.5, Chapter 11, Article 3, Section 66261.24(a)(2)(A) Table II (Priority Pollutant Metals).

Attached are the analytical testing results for JWPCP in accordance with Title 22, California Code of Regulations (CCR), Division 4.5, Chapter 11, Article 3, Section 66261.24(a)(2)(A) Table II (Priority Pollutant Metals).

Should you have any further questions or require additional information, please contact Matt Bao at (562) 908-4288, extension 2809.

Very truly yours,

Grace Robinson Hyde

Melissa Fischer Supervising Engineer

Monitoring Section

MF:GS:lmb Attachments

Notice and Necessary Information

To be Completed by Preparers of Class B Biosolids

Facility Name: Joint Water Pollution Control Plant (JWPCP) Monitoring Period: 03/01/2014 to 03/31/2014

1. Pollutant and Nitrogen concentrations (report results in mg/kg on a 100% dry weight basis. Attach lab analyses).

	As	Cd	Cu	Pb	Hg	Mo	Ni	Se	Zn	Org-N	NH ₃ -N	% solids
Result	8.74	5.44	349	19.8	0.83	18.8	49.1	27.1	830	47,700	5,740	29.2
Table 3	41	39	1500	300	17	na	420	100	2800	na	na	na
Table 1	75	85	4300	840	57	75	420	100	7500	na	na	na

Sampling date(s): 03/04/14 Sample Number(s): 14030500291

2. Class B Pathogen Reduction: (Check off and fill in applicable portion)
√ anaerobic for 19 days at 35.6 °C (96.1 °F) (range for past month)
Class B: either 15 days at 35°C to 55°C or 60 days at 20°C
aerobic digestion for to days at to degrees F/C (range for past month)
Class B: time (days) ≥ 20 - 15(temp, degrees C) for times between 40 and 60 days
drying beds forto months (attach records of dates in and out)
Class B: time > 3 months; 2 months > 0 degrees C
fecal coliform: geometric mean of seven samples = (attach lab results)
Class B: geometric mean of seven samples is < 2,000,000 mpn
lime stabilization: pH at 2 hours after addition =
Class B: pH 2 hours after addition of lime is ≥ 12
3. Vector Attraction Reduction:
Option 1: % $VS_{in} = 75$ % $VS_{out} = 59$ % $VSR = 53$ % per Van Kleeck method $VAR: VSR > 38\%$
Option 2/3: Bench scale test: % VSR = after days
VAR: additional VSR < 17% after 40 days (anaerobic), < 15% after 30 days (aerobic)
Option 4: SOUR =
VAR: SOUR < 1.5 mg O ₂ /hr/gram (dry weight)
Option 5: Composted days at temps of todegrees F/C (attach times/temps)
VAR: temp > 40 degrees C for 14 days, w/5 days > 45 degrees C
Option 6: time alkali added: pH after 2 hours = pH after 22 hours =
VAR: pH ≥ 12 for 2 hours after alkali addition, ≥ 11.5 for additional 22 hrs
Option 7: % solids = Stabilization method:
VAR: stabilized solids > 75%
Option 8: % solids =
VAR: unstabilized solids > 90%
Option 9/10: Applier will inject/incorporate within hours
VAR: injection within 1 hour, incorporation within 6 hours

Certification: I certify, under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or the persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Phone: (562) 908-4288	Extension 2824	E-mail: mfischer@lacsd.org	
Prepared By: G. Salva	(6) Revie	wed By: M. Bao MB	

March 2014 BIOSOLIDS MANAGEMENT PROGRAM JWPCP Biosolids Cake -Total Metals Concentrations Mg/Kg Dry Weight

Sample No.	Date	% TS	As	Cd	Cr	Cu	Pb	Hg	Mo	Ni	Se	Zn	Al
14010800328	1/7/2014	29.2	8.34	6.5	66.8	365	16.4	0.88	19.7	51.6	26.2	819	6,350
14020500337	2/4/2014	29	8.08	6.34	71.6	383	21.3	0.88	17.1	51.2	25.6	824	+
14030500291	3/4/2014	29.2	8.74	5.44	73.8	349	19.8	0.83	18.8	49.1	27.1	830	· ·
									40.5				
		29	8.39	6.1	70.7	366	19.2	0.86	18.5	50.6	26.3	824	6,35
MEAN			8.74	6.5	73.8	383	21.3	0.88	19.7	51.6	27.1	830	6,35
MEAN MAX			0.74										
		1	75	85	1	4,300	840	57	75	420	100	7,500	1

Sample No.	Date	% TS	Sb	Ba	Be	Co	Fe	Mn	K	Ag	TI	Sn	V
14010800328	1/7/2014	29.2	3.83	1,520	< 0.2	9.08	93,000	217	868	4.06	< 0.2	38.1	91.6
14020500337	2/4/2014	29	-	-	+	-	-	-	-	-	-	-	-
14030500291	3/4/2014	29.2		-			-	-	-	-	-	-	-
1EAN		29	3.83	1,520	ND	9.08	93,000	217	868	4.06	ND	38.1	91.
IAX			3.83	1,520	ND	9.08	93,000	217	868	4.06	ND	38.1	91.

\= No limit ND = Not Detected --= No Sample Statistics use detected values only

March 2014 BIOSOLIDS MANAGEMENT PROGRAM JWPCP Biosolids Cake - Nutrients and Miscellaneous Constituents Mg/Kg Dry Weight (or as indicated)

Sample No.	Date	% TS	Sulfur	PO₄	NH ₃ -N	Org-N	NO ₃ -N	NO ₂ -N	Boron	Paint FilterTest (ml/100 g)	рН
14010800328	1/7/2014	29.2	37,900 ^A	86,800	6,680	49,000	< 137	< 3.42	23.7	< 1.0	8.2
14020500337	2/4/2014	29	36,600 B		6,550	47,700	< 138	3.77	-	-	-
14030500291	3/4/2014	29.2	33,800 ^C		5,740	47,700	< 137	4.7	-	-	-
										*	

ND = Not Detected

- = No Sample

Statistics use detected values only.

A = Lab ID: 14010800329

B = Lab ID: 14020500336 C = Lab ID: 14030500292

1st Quarter 2014 BIOSOLIDS MANAGEMENT PROGRAM JWPCP Biosolids Cake - Soluble Metals Concentrations - Mg/L Analyzed by California Title 22 Waste Extraction Test

Sample No.	Date	Al	Sb	As	Ba	Be	Cd	Cr	Co	Cu	Fe
14010800331	1/7/2014	123.000	0.0662	0.140	30.900	< 0.010	0.0063	0.998	0.141	< 0.040	2,280
MEAN		123.000	0.0662	0.140	30.900	ND	0.0063	0.998	0.141	ND	2,280
MAX		123.000	0.0662	0.140	30.900	ND	0.0063	0.998	0.141	ND	2,280

Sample No.	Date	Pb	Hg	Mo	Ni	K	Se	Ag	TI	Sn	٧	Zn
14010800331	1/7/2014	0.0504	< 0.0005	0.251	0.957	< 0.040	0.0331	< 0.020	< 0.040	< 0.040	1.770	8.340
MEAN		0.0504	ND	0.251	0.957	ND	0.0331	ND	ND	ND	1.770	8.300
MEAN MAX		0.0504 0.0504	ND ND	0.251 0.251	0.957 0.957	ND ND	0.0331 0.0331	ND ND	ND ND	ND ND	1.770 1.770	8.300 8.340

ND = Not Detected

\= No Limit

Statistics use detected values only.

2014 BIOSOLIDS MANAGEMENT PROGRAM

JWPCP Digester Performance

		Detention	
Month	Temp (°F)	Time (Days)	VSE (%)
January	96.1	19	54
February	96.1	19	53
March	96.1	19	53
MEAN	96.1	19	53

Semi-Annual JWPCP Biosolids Cake Detected Priority Pollutants Mg/Kg on a Dry Weight Basis

Date	1/8/14				
Consula Nonstan	14010800328				
Sample Number	14010800329				
Constituent	Result (mg/kg)				
Arsenic	8.34				
Cadmium	6.5				
Chromium	66.8				
Copper	365				
Lead	16.4				
Mercury	0.88				
Nickel	51.6				
Selenium	26.2				
Silver	4.06				
Zinc	819				
Antimony	3.83				
Cyanide	2.43				
PP'-DDD	0.061				
OP'-DDD	0.064				
Diethylhexyl Phthalate	209				